

Examining the Criterion-related Validity of the Self-Directed Learning Ability Scale for Clinical Nurses

Misae ITO^{*1}, Keiko HATTORI^{*2}, Takahiro KAKEDA^{*3} and Simpei HAYASHI^{*4}

(Accepted December 26, 2016)

Key words: self-directed learning, criterion-related validity, nurse

Abstract

The aim of this study was to clarify the criterion-related validity of the Self-Directed Learning Ability Scale used in Japan and examine its concurrent validity with the Self-Directed Learning Readiness Scale. A total of 1665 self-administered questionnaires were distributed to nurses, and 727 nurses responded to the survey from 6 hospitals in Japan. The correlation coefficient between the total scores of the Self-Directed Learning Ability Scale and the Self-Directed Learning Readiness Scale was $r_s=0.240$ ($p<0.001$). It is necessary to concisely clarify the concepts and factors related to self-directed learning ability and self-directed learning readiness that are principal concepts in adult learning and lifelong learning.

1. Introduction

Nurses provide nursing care and solve complex problems daily. Therefore, it is important for nurses to acquire new knowledge and skills to provide elaborate and high quality nursing service to patients and continue to work as nurses. This problem-solving ability allows nurses to solve various problems and provide superior nursing care. Self-directed learning ability has the strongest influence on the problem-solving activities of nurses^{1,2}. The Japanese Ministry of Education, Culture, Sports, Science and Technology clarified that one of the goals for university nursing programs was to acquire this self-directed learning ability³.

There have been several studies in Japan related to self-directed learning ability in nursing^{4,6}. For example, self-directed learning ability and its related factors^{7,8}, the relationship between the achievement motivation and self-directed learning ability among nursing students^{9,10} and a concept and the related concepts of self-directed learning ability¹¹ were reported. These quantitative studies used mostly Kajita's scales for self-directed learning ability¹² and Kajita's scales modified by Nishimura¹³. However, it has been pointed out that the concept of self-directed learning ability is diverse and indistinct; therefore, further

^{*1} Department of Nursing, Faculty of Medical Welfare,
Kawasaki University of Medical Welfare, Kurashiki, 701-0193, Japan
E-Mail: m-ito@mw.kawasaki-m.ac.jp

^{*2} Department of Nursing, Gifu Shotoku Gakuen University

^{*3} Department of Nursing, Kansai University of Social Welfare

^{*4} Okayama University Hospital

examination of the scale is required.

2. Background

The term self-directed learning ability was first used in the Japanese Council's progress report by subcommittees, such as educational contents of the Central Education Council, in November 1983 and defined as "self-directed intent, attitude and ability"¹⁴. It was one of the pillars of the education guidelines for schools. In addition, it was the code of ethics for nursing by the Japanese Nursing Association¹⁵. Furthermore, the designated role of public health nurses, midwives and nursing schools¹⁶ was to clarify the importance of lifelong learning in nursing.

Self-directed learning ability is the ability to acquire knowledge, skills and sustain growth to learn by oneself¹². It is emphasized as the basic ability and development of lifelong learning. It is necessary for nurses to be responsible for improving and developing their skills as professionals and have self-directed learning ability².

2.1 Self-directed learning ability

Kajita¹² reviewed many studies, and conceptually developed the Self-Directed Learning Ability Scale. Self-directed learning is the skills and attitudes of acquiring knowledge independently and autonomously. Self-directed learning ability was explained in four domains: ⟨I intention to grow and develop⟩, ⟨II self-objectivity and control⟩, ⟨III skill and basis for studying⟩, and ⟨IV self-confidence, pride and stability⟩¹² as shown in Fig. 1. Kajita¹² originally developed the Self-Directed Learning Ability Scale with 30 items that were constructed of three domains each with 10 items; these were ⟨I intention to grow and develop⟩, ⟨II self-objectivity and control⟩ and ⟨III skill and basis for studying⟩. It was developed for use by students, not for adults, which meant it was limited to nursing students¹¹. In addition, Nishimura, et al.¹³ developed 10 items for the undeveloped fourth domain, self-confidence, pride, and stability and partially modified the




Fig. 1 The aspects of self-directed learning ability

Source: Kajita E¹² : *Education for self-directed learning*. p.37, Meijitoshō, Tokyo, Japan, 1985.

other domains. The modified version was tested for reliability and validity, and its adaptability for nurses was examined¹³. The reliability of the scale was evaluated by the internal consistency and the reliability coefficient was 0.77 by the split-half estimation method¹³. The correlation values among all items of self-directed learning ability were positively correlated from 0.04 to 0.60. However, the three correlation value items from II self-objectivity and control, showed low correlation values of less than 0.20¹³. Each domain was reciprocally and positively correlated, and the correlation coefficients between each domain and the total score were calculated from moderate to high correlation values. The correlation between each domain and the total score of nurse identity was positive. The result of the factor analysis found the validity of each domain. However, Nishimura et al. pointed out the need for consideration of the validity because of a slightly low correlation between each domain of self-directed learning ability and the nurse identity, and a slightly low contribution rate by the factor analysis¹³.

2.2 Self-directed learning readiness

In the West, self-directed learning is an adult's ability to learn and acquire skills independently.

Knowles¹⁷) defines self-directed learning as

a process in which individuals take the initiative, with or without the help of others, in diagnosing their learning needs, formulating learning goals, identifying human and material resources for learning, choosing and implementing appropriate learning strategies and evaluating learning outcomes (p. 18).

Guglielmino^{18, 19}) conducted a 3-round Delphi Survey of the most-respected experts in self-directed learning, including Malcolm S. Knowles, Cyril O. Houle and Allen Tough to obtain expert consensus on the characteristics of a highly self-directed learner. She then developed the Self-Directed Learning Readiness Scale (SDLRS) to assess those characteristics. The word "readiness" rather than "ability" is used to emphasize that SDLRS is a developable capacity. The SDLRS measures an individual's current level of readiness to learn at the specific point of time.

Guglielmino^{18, 19}) defined a learner as a student model with high self-directed learning ability and readiness was an individual's capability and eagerness directly necessary for learning. She developed the SDLRS. The scale showed reliability and validity²⁰, and has been used in many studies²¹⁻²³.

A highly self-directed learner was defined as an extremely motivated learner with the ability to learn and readiness for self-directed learning¹⁴). Matsuura et al.^{24, 25}) translated SDLRS into Japanese and tested the Cronbach's α coefficient (0.914).

There have been many studies related to self-directed learning ability in Japan⁴⁻⁶), and they used Kajita's scale of measuring self-directed learning ability¹²) or the modified version of Kajita's scale by Nishimura et al.¹³). However, most studies did not clarify the definition of self-directed learning ability. It was based on the premise that self-directed learning readiness was theoretically included in self-directed learning ability. The criterion-related validity of the Self-Directed Learning Ability Scale needed to be tested and the SDLRS was used for the analysis.

3. Aim

The aim of this study was to clarify the criterion-related validity of the Self-Directed Learning Ability Scale used for assessing clinical nurses in Japan and examine its concurrent validity with the SDLRS.

4. Methods

4.1 Sample

In this study, self-administered questionnaires were distributed to nurses working in hospitals in Japan: 1,255 questionnaires at three specific functional hospitals with over 500 beds and 410 questionnaires at three general hospitals with 200-500 beds.

4.2 Procedures

The directors of the nursing department from each of the hospitals that consented to serve as data gathering sites were approached. A total of 1665 self-administered questionnaires were distributed to the nurses working in those hospitals. Each potential participant received a packet that included an introductory letter, questionnaires, and a self-addressed stamped envelope with no code number, or any other identifying mark.

4.3 Measures

4.3.1 Demographic data

The following demographic data were included: gender, highest level of education and employment position.

4.3.2 Modified Self-Directed Learning Ability Scale

Kajita¹²⁾ originally developed the Self-Directed Learning Ability Scale with 30 items, involving three domains with 10 items each. The items ranged from 40 to 80 points on a 2-point scale with the option of either "Yes" or "No." The higher scores meant the higher ability on self-directed learning.

4.3.3 Self-Directed Learning Readiness Scale

Guglielmino¹⁸⁾ developed the SDLRS in order to examine the self-directed learning readiness for adults graduating from high school. The Guglielmino group¹⁹⁾ did not recommend avoidance of the use of subscales derived from the SDLRS factors, because the subscale structure derived from a factor analysis of one sample may not be an adequate representation and the overall score was the interpretable measure.

The SDLRS was composed of 58 items including 17 reversed items. The scale ranged from 58 to 290 points in a 5-point Likert scale ranging from "never think" to "always think."

The mean score for the Guglielmino group¹⁹⁾ was 214 (Standard Deviation 25.59), and the scores categorized the low group as having a score <176, the below average group 177-201, the average group 202-226, the above average group 227-251 and the high group 252-290. The higher scores meant that individuals who had higher readiness of self-directed learning prefer to decide their learning needs and learn autonomously.

4.4 Ethical considerations

The study was approved by the Ethical Review Committee, Kawasaki University of Medical Welfare (#188). After the approval, an investigator asked and obtained permission for the study from the director of the nursing department of each hospital, and then the potential participants received the questionnaire package and were asked to participate in this study. The study protected the participants' free will and anonymity.

The consent to the use of the SDLRS¹⁸⁾ and Self-Directed Learning Ability Scale¹³⁾ were given by the authors.

4.5 Data analysis

Data were calculated as descriptive statistics on all demographic variables and Spearman's rank order correlation coefficient between Self-Directed Learning Ability Scale and the SDLRS. This is because the scores would not be distributed normally and it alleviated the influence from outlier values. All calculations were performed using the statistical software package, SPSS for Windows Ver. 17.0.

5. Results

A total of 727 nurses responded to the survey from 6 hospitals with a valid response rate of 43.7%. In Table 1, there were 28 males (3.9%) and 699 females (96.1%) with the average age of 35.0 ± 10.1 years, and

Table 1 Characteristics of respondents

		(n=727)
		Number (%)
Gender		
Male		28 (3.9)
Female		699 (96.1)
Educational background		
		(2 no answers)
Diploma		329 (45.3)
Associate		155 (21.3)
Bachelor		230 (31.6)
Master/ Doctorate		11 (1.5)
Employment position		
		(2 no answers)
Staff		585 (80.5)
Vice-head nurse		90 (12.4)
Head nurse		31 (4.3)

Table 2 Spearman's rank order correlation coefficient between self-directed learning readiness and self-directed learning ability

		SDLRS				
			I	II	III	IV
Self-directed learning ability						
I	Intention to growth & development	0.264 *				
II	Self-objectivity & control	0.013	0.112 *			
III	Skill & basis for studying	0.058	0.099 *	0.059		
IV	Self-confidence, pride & stability	0.309 *	0.111 *	0.002	0.046	
Total Score		0.240 *	0.621 *	0.523 *	0.542 *	0.621 *

* P<0.001

SDLRS = Self-Directed Learning Readiness Scale

the average duration of working as a nurse was 12.8 ± 9.8 years.

The average points of each domain in the modified Self-Directed Learning Ability Scale were 16.01 (SD 1.41) in ⟨I intention to grow and develop⟩, 16.40 (SD 1.31) in ⟨II self-objectivity and control⟩, 15.94 (SD 1.45) in ⟨III skill⟩ and basis for studying and 14.57 (SD 1.31) in ⟨IV self-confidence, pride and stability⟩ with a total average score of 62.91 ± 2.96 points. In regard to SDLRS, the total average score was 185.54 ± 24.62 points.

In Table 2, Spearman's rank order correlation coefficient between the total scores of Self-Directed Learning Ability Scale and SDLRS was $r=0.240$ ($p<0.001$). The SDLRS was statistically and positively correlated with ⟨I intention to grow and develop⟩, $r=0.264$ ($p<0.001$) and ⟨IV self-confidence, pride and stability⟩, $r=0.309$ ($p<0.001$).

6. Discussion

This study showed the criterion-related validity of the Self-Directed Learning Ability Scale and its concurrent validity with SDLRS showed a low-degree of positive correlation. Self-directed learning readiness was associated with ⟨I intention to grow and develop⟩ and ⟨IV self-confidence, pride and stability⟩. However, it was not associated with ⟨II self-objectivity and control⟩ and ⟨III skill and basis for studying⟩.

Guglielmino¹⁸⁾ defines a highly self-directed learner as

one who exhibits initiative, independence, and persistence in learning; one who accepts responsibility for his or her own learning and views problems as challenges, not obstacles; one who is capable of self-discipline and has a high degree of curiosity; one who has a strong desire to learn or change and is self-confident; one who is able to use basic study skills, organize his or her time and set an appropriate pace for learning, and develop a plan for completing work; one who enjoys learning and has a tendency to be goal-oriented (p. 73).

This study is based on the premise that the concept of self-directed learning readiness theoretically included the association with self-objectivity, control, the content of the skill and basis for studying. However, there are various and unclear concepts of self-directed learning ability and the self-directed learning readiness. Therefore, there is need for concise clarity of the concepts.

7. Conclusions

It is important for nurses to promote self-directed learning readiness and self-directed learning ability by having learning objectives in order to accomplish lifelong growth. The study showed that the Self-Directed Learning Ability Scale and SDLRS had a weak association. It is necessary to concisely clarify the concepts and factors related to self-directed learning ability and self-directed learning readiness that are principal concepts to lifelong learning in adults.

Acknowledgements

We sincerely appreciate the participation in the study of the nurses, and support of the hospital administrators. Dr. Lucy M. Guglielmino is also acknowledged for her helpful advice on the Self-Directed Learning Readiness Scale. This study was partially supported by the Kawasaki University of Medical Welfare Scientific Research Fund.

References

1. Nagano M, Funashima N and Sugimori M : Testing of the association between nurses' attributes and their problem-solving behaviors. *Journal of Chiba Academy of Nursing Science*, 5(1), 23-30, 1999. (In Japanese with English abstract)
2. Katoh C, Yoshida K, Yokoyama H and Aritomi Y : The structure and issues of self-directed learning ability in nursing education. *Quality Nursing*, 10(1), 67-72, 2004. (In Japanese, translated by the author of this article)
3. Ministry of Education, Culture, Sports, Science, Technology Japan : *Final report of Nursing human resources development committee*. http://www.mext.go.jp/b_menu/shingi/chousa/koutou/40/toushin/_icsFiles/afieldfile/2011/03/11/1302921_1_1.pdf, 2011. (In Japanese, translated by the author of this article)
4. Nohmi K, Sugita Y and Yoshimoto T : Identification of future research issues in order to promote the development of nurses' self-directed learning: A literature review of domestic research on the concepts of nurses' self-directed learning and related factors. *Journal of Chiba Academy of Nursing Science*, 19(2), 65-72, 2014. (In Japanese with English abstract)
5. Chikami K and Ohara K : Reserch method and contents of nurses' "Self-Education Abilities": A literature review. *Journal of Nursing Research Society of Kochi University*, 7(1), 3-12, 2013. (In Japanese with English abstract)
6. Shiota K, Mitsui M and Katsuki T : Bibliographical consideration about teaching in clinical practice in order to raise nursing students' self-directed learning. *Journal of School of Nursing, Shukutoku University*, 4, 61-67, 2012. (In Japanese)
7. Kamisato M, Son R, Shibuya Y and Soda N : Self-directed learning ability and its related factors: The relationship among nurses' characteristics and social support. *Quality Nursing*, 8(6), 541-548, 2002. (In Japanese, translated by the author of this article)

8. Takushima H, Yamamoto K, Yumikake K, Yoshida I, Yamaguchi Y, Nagata H, Tokunaga I, Kawamoto K, Kameyama A, Kameyama H, Osawa S, Uchiyama K, Nishitani M, Mimura T, Tanaka E, Shimada K, Kitano M, Umehashi M, Furushyo F and Inoue E : Analysis of factors influencing self-directed learning. *Journal of Health Science*, **3**, 49-60, 2006. (In Japanese with English abstract)
9. Furuta M, Nakamura K, Ebisu M, Hayakawa M, Kanou H and Enokida M : Examination of the affector to self-education Ability: Relevance of a sense of accomplishment in nursing practicum. *Bulletin of Faculty of Nursing of Chukyo Gakuin University*, **1**(1), 9-22, 2011. (In Japanese)
10. Morita T, Matsunaga Y and Hatano A : Necessary power for nursing, self-directed learning ability: The achievement motivation and self-directed learning ability. *Quality Nursing*, **10**(3), 278-282, 2004. (In Japanese, translated by the author of this article)
11. Sakai A : Necessary power for nursing, self-directed learning ability: The concept of self-directed learning ability and its related concepts. *Quality Nursing*, **9**(11), 987-993, 2003. (In Japanese, translated by the author of this article)
12. Kajita E : *Education for self-directed learning*. Meijitoshio, Tokyo, Japan, 1985. (In Japanese, translated by the author of this article)
13. Nishimura T, Okuno S, Kobayashi Y and Nakajima S : Self-directed learning ability in nurses: Test for self-directed learning ability scale. *Bulletin of Nursing Executive Training Institute of Japanese Red Cross Society*, **11**, 22-39, 1995. (In Japanese, translated by the author of this article)
14. The Ministry of Education, Culture, Sports, Science and Technology Japan : *Chapter 2 Lifelong learning and schools In Education measures in Japan, Year of 1988*. http://www.mext.go.jp/b_menu/hakusho/html/hpad198801/hpad198801_2_016.html, 1988. (November 1, 2016) (In Japanese, translated by the author of this article)
15. Japanese Nursing Association : *Code of Ethics for Nurses*. <http://www.nurse.or.jp/nursing/practice/rinri/pdf/rinri.pdf>, 2003. (November 1, 2016) (In Japanese, translated by the author of this article)
16. The editorial committee of the 60-year history on the Act on Public Health Nurses, Midwives and Nurses : *The 60-year history on the act on public health nurses, midwives and nurses: The history of nursing government and nursing evolution*. Japanese Nursing Association Publishing Company, Ltd. Toyo, 2009. (In Japanese, translated by the author of this article)
17. Knowles MS : *Self-Directed Learning: A guide for learners and teachers*. Follett Publishing, Chicago, IL., 1975.
18. Guglielmino LM : *Development of the self-Directed Learning Readiness Scale*. Unpublished Doctoral Dissertation, University of Georgia, 1977. In Guglielmino & Associates: *What is the Self-Directed Learning Readiness Scale?* Guglielmino & Associates, Port St. Lucie, FL, 2009.
19. Guglielmino & Associates : *Information on the Self-Directed Learning Readiness Scale/Learning Preference Assessment*. Guglielmino & Associates, Port Saint Lucie, FL, 2016.
20. Crook JA : A validation study of a Self Learning Readiness Scale. *Journal of Nursing Education*, **24**(7), 274-279, 1985.
21. O'Shea E : Self-directed learning in nurse education: A review of the literature. *Journal of Advanced Nursing*, **43**(1), 62-70, 2003.
22. Fisher M, King J and Tague G : Development of a self-directed learning readiness scale for nursing education. *Nurse Education Today*, **21**(7), 516-525, 2001.
23. Linares AZ : Learning styles of students and faculty in selected health care professions. *Journal of Nursing Education*, **38**(9), 407-414, 1999.
24. Matsuura K, Yamauchi M and Nomura N : Reliability of Japanese-SDLRS by test-retest method. *Medicine and Biology*, **143**(6), 167-170, 2001. (In Japanese)
25. Matsuura K, Abe N, Yoshimura S, Kannari Y, Masuda Y, Abe S and Hama M : Development of Japanese - SDLRS for application. *Journal of Japan Society of Nursing Research*, **26**(1), 45-53, 2003. (In Japanese with English abstract)